

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	328588	data near5 (transfer\$4 map\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 11:20
S2	315906	data near4 (transfer\$4 map\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 15:00
S3	15563	((data near4 (transfer\$4 map\$4)) and ((defin\$4 specif\$4 designat\$4) near5 sourc\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 11:14
S4	23922	((data near4 (transfer\$4 map\$4)) and ((defin\$4 specif\$4 designat\$4) near5 (target\$4 destinat\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 13:33
S5	6718	((data near4 (transfer\$4 map\$4)) and ((defin\$4 specif\$4 designat\$4) near5 sourc\$4)) and ((data near4 (transfer\$4 map\$4)) and ((defin\$4 specif\$4 designat\$4) near5 (target\$4 destinat\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 15:02
S6	641	((data near4 (transfer\$4 map\$4)) and ((defin\$4 specif\$4 designat\$4) near5 sourc\$4) near5 object\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 15:02
S7	736	((data near4 (transfer\$4 map\$4)) and ((defin\$4 specif\$4 designat\$4) near5 (target\$4 destinat\$4) near5 object\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 13:33
S8	142	((data near4 (transfer\$4 map\$4)) and ((defin\$4 specif\$4 designat\$4) near5 sourc\$4) near5 object\$4) and ((data near4 (transfer\$4 map\$4)) and ((defin\$4 specif\$4 designat\$4) near5 (target\$4 destinat\$4) near5 object\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 13:33

EAST Search History

S9	109	((data near4 (transfer\$4 map\$4)) and ((defin\$4 specif\$4 designat\$4) near5 sourc\$4) near5 object\$4) and ((data near4 (transfer\$4 map\$4)) and ((defin\$4 specif\$4 designat\$4) near5 (target\$4 destinat\$4) near5 object\$4))) and component\$4 and field\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 13:33
S10	2	"6014670".pn. and (source same data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 10:51
S11	2	"6014670".pn. and (source near7 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 10:51
S12	144	((data near6 (transfer\$4 map\$4)) and ((defin\$4 specif\$4 designat\$4) near5 sourc\$4) near5 object\$4) and ((data near4 (transfer\$4 map\$4)) and ((defin\$4 specif\$4 designat\$4) near5 (target\$4 destinat\$4) near5 object\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 13:33
S13	144	((data near6 (transfer\$4 map\$4)) and ((defin\$4 specif\$4 designat\$4) near5 sourc\$4) near5 object\$4) and ((data near4 (transfer\$4 map\$4)) and ((defin\$4 specif\$4 designat\$4) near5 (target\$4 destinat\$4) near5 object\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 13:34
S14	16930	(data near7 (transfer\$4 map\$4)) and ((defin\$4 specif\$4 designat\$4) near5 sourc\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 13:34
S15	25480	(data near6 (transfer\$4 map\$4)) and ((defin\$4 specif\$4 designat\$4) near5 (target\$4 destinat\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 13:34
S16	818	(data near6 (transfer\$4 map\$4)) and ((defin\$4 specif\$4 designat\$4) near5 (target\$4 destinat\$4) near5 object\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 13:34

EAST Search History

S17	111	((data near5 (transfer\$4 map\$4)) and ((defin\$4 specif\$4 designat\$4) near5 sourc\$4) near5 object\$4) and ((data near4 (transfer\$4 map\$4)) and ((defin\$4 specif\$4 designat\$4) near5 (target\$4 destinat\$4) near5 object\$4))) and component\$4 and field\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 13:35
S18	0	data\$4 near5 structur\$4 near5 map\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 13:36
S19	4049	data\$4 near5 structur\$4 near5 map\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 13:36
S20	3847	data near5 structur\$4 near5 map\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 13:36
S21	0	(data near5 structur\$4 near5 map\$4) same (sourc\$4 near10 target\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 13:36
S22	21	(data near5 structur\$4 near5 map\$4) same (sourc\$4 near10 target\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 13:44
S23	78653	data near5 map\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 10:31
S24	34	S23 and (virtual\$4 near4 data near5 map\$4) same database\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 11:14
S25	1473	physical\$4 near5 (database storag\$4) near5 (map\$4 link\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 10:39

EAST Search History

S26	571	S25 and (VIRtual same (link\$3 map\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 10:39
S27	292	S25 same (VIRtual near5 (link\$3 map\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 10:40
S28	37	S27 and (unalter\$4 unchang\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 10:40
S29	2	"6014670".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 11:11
S30	1	"6014670".pn. and (map\$4 same (database\$3 storag\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 11:12
S31	1	"6014670".pn. and (virtual\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 11:15
S32	1	S30 and S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 11:12
S33	15	S23 and (virtual\$4 near4 data near5 link\$4) same database\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 11:14
S34	0	"6014670".pn. and (link\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 11:16
S35	2	"6014670".pn. and (link\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 11:16

EAST Search History

S36	1	S31 and S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 11:17
S37	1	S32 and S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 11:17
S38	764	virtual\$4 near4 data near5 link\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 11:25
S39	62	S38 and (sourc\$4 same target\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 11:22
S40	2	map\$4 near5 data near5 unchang\$4 near5 (database\$4 storag\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 11:17
S41	0	map\$4 near5 data near5 unalter\$4 near5 (database\$4 storag\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 11:25
S42	1	link\$4 near5 data near5 unalter\$4 near5 (database\$4 storag\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 11:25
S43	1044	virtual\$4 near4 data near5 map\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 11:26
S44	18	virtual\$4 near4 data near5 field\$4 near5 map\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 11:26

EAST Search History

S45	2412	sourc\$4 near5 (map\$4 synchroniz\$4 replica\$4) near5 (destination\$4 target\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 14:49
S46	463	S45 and (database\$4 near5 (schema\$4 structur\$4 tabl\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 14:49
S47	34	(sourc\$4 near5 object\$4 near5 component\$4 near5 field\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 14:51
S48	0	S46 and S47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 14:52
S49	2076	(sourc\$4 near5 object\$4 near7 field\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 14:51
S50	0	S46 and S48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 14:52
S51	15	S46 and S49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 14:52
S52	1338	(data record\$4 information) near5 (transfer\$4 map\$4 synchroniz\$3 replica\$3) near5 different near5 (display\$4 interfac\$3 window\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 17:04

EAST Search History

S53	63	S52 and (business\$3 near5 (object\$4 field\$3 data record\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 17:11
S54	372	S52 and ((business\$3 bank\$4 load\$3 stock\$4 profil\$3) near5 (object\$4 field\$3 data record\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 17:07
S55	95	S52 and ((business\$3 bank\$4 load\$3 stock\$4 profil\$3) near5 (object\$4 field\$3 data record\$3)) near5 (transfer\$4 map\$4 synchroniz\$3 replica\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 17:08
S56	13	map\$3 near5 sourc\$3 near5 (data information field\$3) near5 interfac\$4 near5 (format\$4 display\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 11:17
S57	7	map\$3 near5 (target\$4 destinat\$4) near5 (data information field\$3) near5 interfac\$4 near5 (format\$4 display\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 10:21
S58	1	S56 and S57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 10:21
S59	2	S56 and map\$3 near5 (target\$4 destinat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 10:21
S60	5654	business\$3 near3 object\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 10:32
S61	2974	business\$3 near3 component\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 10:29

EAST Search History

S62	3901369	field\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 10:29
S63	793	S60 and S61 and S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 10:29
S64	453626	(data\$3 databas\$3) near5 (structur\$4 tabl\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 10:30
S65	772	S63 and "9"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 10:30
S66	598	S63 and S64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 10:31
S67	60	S66 and sourc\$4 near4 field\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 10:31
S68	16	S67 and sourc\$4 near5 business\$3 near3 object\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 10:43
S69	10	S68 and sourc\$4 near5 business\$3 near3 component\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 10:45

EAST Search History

S70	10	S69 and sourc\$4 near5 field\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 10:47
S71	10	S69 and (sourc\$4 near5 field\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 10:47
S72	12	map\$3 near5 (data information field\$3) near5 different\$4 near5 user\$3 near5 interfac\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 11:19
S73	16	transfer\$3 near5 (data information field\$3) near5 different\$4 near5 user\$3 near5 interfac\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 11:22
S74	2	transform\$3 near5 (data information field\$3) near5 different\$4 near5 user\$3 near5 interfac\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 13:16
S75	57797	(map\$4 transfer\$4 transform\$3 conver\$4 replica\$4 synchroniz\$4) near5 (data information field\$3) near5 (tabl\$4 structur\$4) different\$4 near5 user\$3 near5 interfac\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 13:31
S76	16872	S75 and (sourc\$3 near5 (structur\$4 data information record\$4 tabl\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 13:20
S77	8164	S76 and ((target\$4 destinat\$4) near5 (structur\$4 data information record\$4 tabl\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 13:20

EAST Search History

S78	489	S77 and (business\$4 near5 object\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 13:21
S79	26	S77 and (sourc\$4 near5 business\$4 near5 object\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 13:22
S80	7	(map\$4 transfer\$4 transform\$3 conver\$4 replica\$4 synchroniz\$4) near5 (data information field\$3) near5 (tabl\$4 structur\$4) near5 different\$4 near5 user\$3 near5 interfac\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 13:33
S81	8	(map\$4 transfer\$4 transform\$3 conver\$4 replica\$4 synchroniz\$4) near5 (data information field\$3) near5 (tabl\$4 structur\$4) near5 (different\$4 diver\$4 heterog\$5 multipl\$4) near5 user\$3 near5 interfac\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 13:36
S82	62	(map\$4 transfer\$4 transform\$3 conver\$4 replica\$4 synchroniz\$4) near5 (data information field\$3) near5 (tabl\$4 structur\$4) near5 (different\$4 diver\$4 heterog\$5 multipl\$4) near5 (present\$4 represent\$4 display\$4 interfac\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 13:38
S83	23	(database\$2 data\$4 tabl\$3 record\$3 field\$3) near5 (map\$4 synchroniz\$4 replica\$3) near5 (different\$2 multipl\$3 divers\$3 dissimilar\$3) near5 (user\$3 near2 interfac\$3 (UI))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/28 14:45
S84	47010	(conver\$4 transform\$4 chang\$3 map\$3) near5 (format\$4) near5 (data databas\$3 tabl\$4 record\$3 field\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/28 14:48
S85	2778	S84 and (sourc\$3) near9 interfac\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/28 14:49

EAST Search History

S86	700	S85 and (destinat\$4 target\$3) near9 interfac\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/28 14:49
S87	313	S86 and map\$4 near5 (data database table record\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/28 14:51
S88	90	S87 and (business\$4 near5 (data object\$4 component\$4 field\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 10:22
S89	2	"6711575".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 09:59
S90	6577	business\$3 near4 object\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 10:23
S91	3753	business\$3 near4 component\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 10:23
S92	1122	S90 and S91	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 10:23
S93	3907836	source near5 datanear5 field\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 10:24

EAST Search History

S94	4314	source near5 data near5 field\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 10:24
S95	31	S92 and S94	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 10:26
S96	4815	sourc\$3 near5 (data databas3) near5 field\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 11:24
S97	567	S96 and (business\$3 near5 (data information object\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 10:28
S98	101	S96 and (business\$3 near5 (data information object\$4) near5 (tabl\$3 structur\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 10:29
S99	40	S98 and (business\$3 near5 component\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 10:33
S100	23	S98 and (business\$3 near5 databas\$4 near5 structur\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 10:33
S101	217	(business\$3 near5 databas\$4 near5 structur\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 10:34

EAST Search History

S10 2	163	S101 and field and component\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 10:34
S10 3	12	hierarch\$5 near5 (data information record\$3) near5 (map\$4 link\$3 join\$3) near5 (UI (user near3 interfac\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 09:46
S10 4	13	hierarch\$5 near5 (data information record\$3) near5 (conver\$4 transfer\$3 map\$4 link\$3 join\$3) near5 (UI (user near3 interfac\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 09:54
S10 5	3	hierarch\$5 near5 (data information record\$3) near5 (display\$) near5 (different disparat\$3) near5 (UI (user near3 interfac\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 09:56
S10 6	248	(data information record\$3) near5 (display\$) near5 (different disparat\$3) near5 (UI (user near3 interfac\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 14:22
S10 7	7955	file\$3 near5 (structur\$3 schema\$3 format\$3) near5 (map\$4 conver\$3 transform\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 14:30
S10 8	154	S107 and ((user\$2 near3 interface\$3) UI GUI) near5 (sourc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 14:26
S10 9	0	S108 and (targat\$3 near5 display\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 14:27
S11 0	20	S108 and (target\$3 near5 display\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 14:28

EAST Search History

S11 1	8136	file\$3 near5 (structur\$3 schema\$3 format\$3 templat\$3) near5 (map\$4 conver\$3 transform\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 14:31
S11 2	129	S111 and data near5 (map\$4 conver\$3 transform\$3) near5 target\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 14:32
S11 3	63	S112 and @ad<"20011108"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 18:26
S11 4	903	source\$3 near5 target\$4 near5 map\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 11:19
S11 5	5399	(source\$3 origin\$3) near5 (destinat\$4 target\$4) near5 (conver\$4 transform\$3 map\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 18:29
S11 6	1537	S115 and (different\$3 disparat\$3) near5 (application\$2 format\$4 interfac\$3 UI GUI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 18:30
S11 7	1124	S116 and data near5 (conver\$4 transform\$3 map\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 18:31
S11 8	220	S117 and (extract\$ pull\$3 link\$3 map\$3 point\$3) near5 (databas\$3 storag\$3 repositor\$3) near5 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 18:34
S11 9	220	S117 and (extract\$3 pull\$3 link\$3 map\$3 point\$3) near5 (databas\$3 storag\$3 repositor\$3) near5 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 18:34
S12 0	121	S119 and @ad<"20011108"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 11:22

EAST Search History

S12 1	13	database near3 management near3 system near5 NT	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 16:41
S12 2	2	relational near5 database near3 management near3 system near5 NT	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 16:50
S12 3	447	relational near5 database near3 management near3 system near5 oracle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 16:50
S12 4	25	S123 same NT	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 16:50
S12 5	27543	(data near4 (transfer\$4 map\$4)) and ((defin\$4 specif\$4 designat\$4) near5 sourc\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 11:14
S12 6	2	map\$4 near5 data near5 unchang\$4 near5 (database\$4 storag\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 11:17
S12 7	15	map\$3 near5 sourc\$3 near5 (data information field\$3) near5 interfac\$4 near5 (format\$4 display\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 11:18
S12 8	1133	source\$3 near5 target\$4 near5 map\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 11:21
S12 9	1133	source\$3 near5 target\$4 near5 map\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 11:19

EAST Search History

S13 0	1	S127 and S128	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 11:20
S13 1	490998	data near5 (transfer\$4 map\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 11:20
S13 2	694	S128 and S131	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 11:21
S13 3	632	source\$3 near5 field\$4 near5 map\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 11:21
S13 4	71	S132 and S133	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 11:21
S13 5	25	S134 and @ad<"20011108"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 11:22
S13 6	4	S135 and business\$3 same object\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 11:23
S13 7	6086	sourc\$3 near5 (data databas3) near5 field\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 11:24



[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

SEARCH

THE ACM DIGITAL LIBRARY



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used [source](#) [target](#) [data](#) [map](#)

Found 2 of 199,915

Sort results by

☒ Save results to a Binder

[Try an Advanced Search](#)

Display results

☒ Search Tips

[Try this search in The ACM Guide](#)

☐ Open results in a new window

Results 1 - 2 of 2

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Research session: integration and mapping #1: Light-weight domain-based form assistant: querying web databases on the fly](#)

Zhen Zhang, Bin He, Kevin Chen-Chuan Chang

August 2005 **Proceedings of the 31st international conference on Very large data bases VLDB '05**

Publisher: VLDB Endowment

Full text available: pdf(311.86 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The Web has been rapidly "deepened" by myriad searchable databases online, where data are hidden behind query forms. Helping users query alternative "deep Web" sources in the same domain (e.g., Books, Airfares) is an important task with broad applications. As a core component of those applications, dynamic query translation (*i.e.*, translating a user's query across dynamically selected sources) has not been extensively explored. While existing works focus on isolated subproblems (

2 [Session 12: languages and runtime libraries: Communication and memory requirements as the basis for mapping task and data parallel programs](#)

Jaspal Subhlok, David R. O'Hallaron, Thomas Gross, Peter A. Dinda, Jon Webb

November 1994 **Proceedings of the 1994 ACM/IEEE conference on Supercomputing Supercomputing '94**

Publisher: ACM Press

Full text available: pdf(1.10 MB)

Additional Information: [full citation](#), [abstract](#), [references](#)

For a wide variety of applications, both task and data parallelism must be exploited to achieve the best possible performance on a multicomputer. Recent research has underlined the importance of exploiting task and data parallelism in a single compiler framework, and such a compiler can map a single source program in many different ways onto a parallel machine. The tradeoffs between task and data parallelism are complex and depend on the characteristics of the program to be executed, most signifi...

Results 1 - 2 of 2

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)



[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

SEARCH

Nothing Found

Your search for **+abstract:source +abstract:target +abstract:data +abstract:map +abstract:business** did not return any results.

You may want to try an [Advanced Search](#) for additional options.

Please review the [Quick Tips](#) below or for more information see the [Search Tips](#).

Quick Tips

- Enter your search terms in lower case with a space between the terms.

sales offices

You can also enter a full question or concept in plain language.

Where are the sales offices?

- Capitalize proper nouns to search for specific people, places, or products.

John Colter, Netscape Navigator

- Enclose a phrase in double quotes to search for that exact phrase.

"museum of natural history" "museum of modern art"

- Narrow your searches by using a **+** if a search term must appear on a page.

museum +art

- Exclude pages by using a **-** if a search term must not appear on a page.

museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

museum +"natural history" dinosaur -Chicago

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)



[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

+abstract:source +abstract:destination +abstract:data +abstr

SEARCH

Nothing Found

Your search for **+abstract:source +abstract:destination +abstract:data +abstract:map** did not return any results.

You may want to try an [Advanced Search](#) for additional options.

Please review the [Quick Tips](#) below or for more information see the [Search Tips](#).

Quick Tips

- Enter your search terms in lower case with a space between the terms.

sales offices

You can also enter a full question or concept in plain language.

Where are the sales offices?

- Capitalize proper nouns to search for specific people, places, or products.

John Colter, Netscape Navigator

- Enclose a phrase in double quotes to search for that exact phrase.

"museum of natural history" "museum of modern art"

- Narrow your searches by using a + if a search term must appear on a page.

museum +art

- Exclude pages by using a - if a search term must not appear on a page.

museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

museum +"natural history" dinosaur -Chicago

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)



+abstract:source +abstract:destination +abstract:field +abstr

SEARCH

THE AGY-E GUYA-A GUYA-A



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used source destination field map

Found 1 of 199,915

Sort results
by

rélevance

 **Save results to a Binder**

Try an Advanced Search

Try this search in The ACM Guide

Display results

expanded form 



Search Tips

☐ Open results in a new window

Results 1 - 1 of 1

Relevance scale ☐ ☒ ☐ ☐ ☐

¹ Routing protocols: MAP: medial axis based geometric routing in sensor networks



Jehoshua Bruck, Jie Gao, Anxiao (Andrew) Jiang

August 2005 **Proceedings of the 11th annual international conference on Mobile computing and networking MobiCom '05**

Publisher: ACM Press

Full text available:  pdf(1.68 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citings](#), [index terms](#)

One of the challenging tasks in the deployment of dense wireless networks (like sensor networks) is in devising a routing scheme for node to node communication. Important consideration includes scalability, routing complexity, the length of the communication paths and the load sharing of the routes. In this paper, we show that a compact and expressive abstraction of network connectivity by the medial axis enables efficient and localized routing. We propose MAP, a Medial Axis based naming and rou ...

Keywords: medial axis, routing, sensor networks, system design

Results 1 - 1 of 1

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

SEARCH

Nothing Found

Your search for **+abstract:source +abstract:destination +abstract:format +abstract:convert** did not return any results.

You may want to try an [Advanced Search](#) for additional options.

Please review the [Quick Tips](#) below or for more information see the [Search Tips](#).

Quick Tips

- Enter your search terms in lower case with a space between the terms.

sales offices

You can also enter a full question or concept in plain language.

Where are the sales offices?

- Capitalize proper nouns to search for specific people, places, or products.

John Colter, Netscape Navigator

- Enclose a phrase in double quotes to search for that exact phrase.

"museum of natural history" "museum of modern art"

- Narrow your searches by using a + if a search term must appear on a page.

museum +art

- Exclude pages by using a - if a search term must not appear on a page.

museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

museum +"natural history" dinosaur -Chicago

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)



[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

+abstract:source +abstract:destination +abstract:format +abs

SEARCH

Nothing Found

Your search for **+abstract:source +abstract:destination +abstract:format +abstract:map** did not return any results.

You may want to try an [Advanced Search](#) for additional options.

Please review the [Quick Tips](#) below or for more information see the [Search Tips](#).

Quick Tips

- Enter your search terms in lower case with a space between the terms.

sales offices

You can also enter a full question or concept in plain language.

Where are the sales offices?

- Capitalize proper nouns to search for specific people, places, or products.

John Colter, Netscape Navigator

- Enclose a phrase in double quotes to search for that exact phrase.

"museum of natural history" "museum of modern art"

- Narrow your searches by using a **+** if a search term must appear on a page.

museum +art

- Exclude pages by using a **-** if a search term must not appear on a page.

museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

museum +"natural history" dinosaur -Chicago

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((source <and> target <and> data <and> map <and> field <and> business))..."

e-mail

Your search matched 2 of 1540244 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

((source <and> target <and> data <and> map <and> field <and> business)<in>meta

Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

[view selected items](#)[Select All](#) [Deselect All](#)

- ☐ 1. **A new architecture for dynamic e-business database interoperability**
 Hussain, O.K.; Soh, B.;
[E-Commerce Technology for Dynamic E-Business, 2004. IEEE International C](#)
 2004 Page(s):150 - 153
 Digital Object Identifier 10.1109/CEC-EAST.2004.3
[AbstractPlus](#) | Full Text: [PDF](#)(88 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 2. **Merging application models in a MDA based runtime environment for ent information systems**
 Davis J; Tierney, A.; Chang, E.;
[Industrial Informatics, 2005. INDIN '05. 2005 3rd IEEE International Conferenc](#)
 10-12 Aug. 2005 Page(s):605 - 610
 Digital Object Identifier 10.1109/INDIN.2005.1560445
[AbstractPlus](#) | Full Text: [PDF](#)(3182 KB) IEEE CNF
[Rights and Permissions](#)

 Indexed by
 Inspec®
[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE –

IEEE Xplore[®]
RELEASE 2.3[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

☐ Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((source <and> destination <and> data <and> map <and> field)<in>metada..."

☒ e-mail

Your search matched 1 of 1540244 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance in Descending order**.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding


IEEE STD IEEE Standard

 [Select All](#) [Deselect All](#)

- ☐ 1. Cognitive maps in swarm robots for the mine detection application
Kumar, V.; Sahin, F.;
[Systems, Man and Cybernetics, 2003. IEEE International Conference on](#)
Volume 4, 5-8 Oct. 2003 Page(s):3364 - 3369 vol.4
[AbstractPlus](#) | Full Text: [PDF\(526 KB\)](#) IEEE CNF
[Rights and Permissions](#)

Indexed by
 Inspec[®][Help](#) [Contact Us](#) [Privacy &:](#)

© Copyright 2006 IEEE -



IEEE Xplore[®]
RELEASE 2.3

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

☐ Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((source <and> target <and> data <and> map <and> field <and> business))..."

☒ e-mail

Your search matched 2 of 1546007 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

((source <and> target <and> data <and> map <and> field <and> business)<in>meta)

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

 [Select All](#) [Deselect All](#)

- ☐ 1. **A new architecture for dynamic e-business database interoperability**
Hussain, O.K.; Soh, B.;
[E-Commerce Technology for Dynamic E-Business, 2004. IEEE International C](#)
2004 Page(s):150 - 153
Digital Object Identifier 10.1109/CEC-EAST.2004.3
[AbstractPlus](#) | Full Text: [PDF](#)(88 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 2. **Merging application models in a MDA based runtime environment for ent information systems**
Davis J; Tierney, A.; Chang, E.;
[Industrial Informatics, 2005. INDIN '05. 2005 3rd IEEE International Conferenc](#)
10-12 Aug. 2005 Page(s):605 - 610
Digital Object Identifier 10.1109/INDIN.2005.1560445
[AbstractPlus](#) | Full Text: [PDF](#)(3182 KB) IEEE CNF
[Rights and Permissions](#)

Indexed by
 Inspect[®]

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE –

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results**BROWSE****SEARCH****IEEE XPLORE GUIDE**

Results for "((source <and> destination <and> data <and> map <and> format)<in>metad..."

e-mail

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

Search☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding


IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance.

Indexed by

[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2006 IEEE –

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

[Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((source <and> destination <and> data <and> map <and> business)<in>met..."

e-mail

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding


IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance with your search.

Indexed by

[Help](#) [Contact Us](#) [Privacy & Policy](#)

© Copyright 2006 IEEE – All Rights Reserved

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

[Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((source <and> destination <and> data <and> map <and> object)<in>metad..."

e-mail

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance with your search.

Indexed by
 Inspec[Help](#) [Contact Us](#) [Privacy & Policy](#)

© Copyright 2006 IEEE —

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((source <and> destination <and> data <and> map <and> object)<in>metad..."

e-mail

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance.

Indexed by
[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2006 IEEE –

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

source target business data field map object in

[Search](#)

[Advanced Search](#)
[Preferences](#)

Web Results 1 - 10 of about 507,000 English pages for source target business data field map object image

Imanami - DTM Features

See how many **objects** were created, updated, **unchanged**, or deleted. ... click to see a larger **image**, **Map Fields** Mapping fields from your **source** to the **target** ...
www.imanami.com/products/dtm/features.asp - 77k - [Cached](#) - [Similar pages](#)

Setting properties of mediation primitives

Correlation context specifies the **business object** that is persisted through the ... In the **Data source** name field, enter the JNDI name of the **data source**. ...
publib.boulder.ibm.com/.../v6rxmx/topic/com.ibm.wbit.help.6012.sib.mediation.ui.doc/topics/tprimprop.html - 21k - [Cached](#) - [Similar pages](#)

Database Management Software System: web database software, dbms ...

Map objects to relational tables, embed powerful SQL in them, ... managing and sharing dynamic **data** for **e-business** solutions. **Target Market**: Mid ...
www.capterra.com/database-management-software - 47k - [Cached](#) - [Similar pages](#)

Using Service Data Objects with Enterprise Information Integration ...

Administrators define wrappers for each type of **data source** they wish to access ... JSP that includes a DataList **object** (a collection of rows) that **map** to a ...
www.ibm.com/developerworks/db2/library/techarticle/dm-0407saracco/index.html - 75k - Apr 9, 2007 - [Cached](#) - [Similar pages](#)

GIS Monitor Apr 26, 2001

A: For Autodesk, the **target** GIS markets are **unchanged**: communications, ... Autodesk offers GIS tools for surveying and **field data** capture, **image** and raster ...
www.gismonitor.com/news/newsletter/archive/042601.php - 23k - [Cached](#) - [Similar pages](#)

What's New for Office 2003 Developers

To manually include the XML **data** in a document **field**, using the Word 2003 user ... and follow the directions in the XML **Source** task pane to **map** the ...
[msdn2.microsoft.com/en-us/library/aa201334\(office.11\).aspx](http://msdn2.microsoft.com/en-us/library/aa201334(office.11).aspx) - 51k - [Cached](#) - [Similar pages](#)

What's New in Web Server Controls

Data source controls connect to and retrieve **data** from a variety of **data sources** including databases, **business objects**, and XML, and make the **data** available ...
msdn2.microsoft.com/en-us/library/8sbwck0z.aspx - 45k - [Cached](#) - [Similar pages](#)

[doc] Organize your business data with UML and make it (them) work for you

File Format: Microsoft Word - [View as HTML](#)
True integration allows getting a desirable view of **business data** described in the high ... How mapping between **source** and **target** DTDs is accomplished? ...
www.ispras.ru/groups/modis/downloads/UML-XML%20Data%20Sheet-revised.doc - [Similar pages](#)

Enabling distributed enterprise integration with WebSphere and DB2 ...

Quite often, **data** associated with **business objects** or server-side Java **objects** do ... the overhead of initiating a fresh connection to the **target source**. ...
www.research.ibm.com/journal/sj/432/saracco.html - 74k - [Cached](#) - [Similar pages](#)

[Sign in](#)

[Google](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

source destination business data field map obj

[Search](#)

[Advanced Search](#)
[Preferences](#)

Web Results 1 - 10 of about 329,000 English pages for source destination business data field map object i

Imanami - DTM Features

See how many **objects** were created, updated, **unchanged**, or deleted. ... click to see a larger **image**, **Map Fields** Mapping fields from your **source** to the target ...
www.imanami.com/products/dtm/features.asp - 77k - [Cached](#) - [Similar pages](#)

[PDF] XML-Based Integration of GIS and Heterogeneous Tourism Information

File Format: PDF/Adobe Acrobat

Entity (**data field**). S...**source**. D...**destination**. URL...file location. Fig. 7. **Business object** mapping. A DTD also describes the mapping between the **source** ...
www.springerlink.com/index/WNJ735B2Y5F57P4X.pdf - [Similar pages](#)

Smart Computing Article - See Your Applications In A Different Way ...

With the bit-**map object**, you'd see the Paintbrush window with the ... Add graphical **images** to **business** cards in the Cardfile to make them more interesting. ...
www.smartcomputing.com/editorial/article.asp?article=articles/1993/sept93/93n0908.asp&guid= - 33k - [Cached](#) - [Similar pages](#)

Integrated composite **data** base system - Patent 7143079

The results sender RS transfers the **business object data** to the BAPI result save agent ... **data** base system and **map** the logic, such as value ranges, **field**, ...
www.freepatentsonline.com/7143079.html - 109k - [Cached](#) - [Similar pages](#)

Method, computer program product, system and **data** structure for ...

Map A 602, as shown, is broken into a series of **source destination** triplets 614 and interpretive comments 616 regarding the **fields** of the results **data** 600 ...
www.freepatentsonline.com/6427151.html - 69k - [Cached](#) - [Similar pages](#)
[[More results from www.freepatentsonline.com](http://www.freepatentsonline.com)]

GIS Monitor Apr 26, 2001

Using Digital Terrain Models, Polyface Meshes, the **Object Viewer**, ... Autodesk offers GIS tools for surveying and **field data** capture, **image** and raster ...
www.gismonitor.com/news/newsletter/archive/042601.php - 23k - [Cached](#) - [Similar pages](#)

IBM Globalization - Terminology

A **map** either converts from an application-specific **business object** to a generic ... Examples of **data source objects** include tables, views, synonyms, ...
<https://www-306.ibm.com/software/globalization/terminology/mn.html> - 281k - [Cached](#) - [Similar pages](#)

DataCore Technology, Inc. - Glossary of Terms

Field. Computer-allocated space for **data** input. File Server ... out by filtering packets based on **source/destination** IP address, **source/destination** port. ...
www.data-core.com/glossary-of-terms.htm - 97k - [Cached](#) - [Similar pages](#)

Nisivoccia Consulting LLC

Client-Side **Image Map**, An **image** than encodes the **destination** URL of more than one ... A programming language for **business data** processing. Code, **Source** code ...
www.nisivocciaconsulting.com/tech_glossary.htm - 366k - [Cached](#) - [Similar pages](#)

[PDF] **Exchanging FileMaker Data** with Microsoft Excel

[Sign in](#)

[Google](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

source destination business data field map comp

[Search](#)

[Advanced Search](#)
[Preferences](#)

Web Results 1 - 10 of about 233,000 English pages for source destination business data field map compo

[\[PDF\] XML-Based Integration of GIS and Heterogeneous Tourism Information](#)

File Format: PDF/Adobe Acrobat

Entity (**data field**). S...**source**. D...**destination**. URL...file location. Fig. 7. **Business object** mapping. A DTD also describes the mapping between the **source** ...

www.springerlink.com/index/WNJ735B2Y5F57P4X.pdf - [Similar pages](#)

[Nisivoccia Consulting LLC](#)

Client-Side **Image Map**, An **image** than encodes the **destination** URL of more than one ...

A programming language for **business data** processing. Code, **Source** code ...

www.nisivocciaconsulting.com/tech_glossary.htm - 366k - [Cached](#) - [Similar pages](#)

[Integrated composite **data** base system - Patent 7143079](#)

The Compare **component** downloads **business data** from the OLTP-R/3 system. ... the respective **data** base system and **map** the logic, such as value ranges, **field**, ...

www.freepatentsonline.com/7143079.html - 109k - [Cached](#) - [Similar pages](#)

[Data management system and method for automatically propagating ...](#)

Most **business** entities have a perpetual need to exchange **data** among other ... A **source destination field** mapping generator 116 is also included within the ...

www.freepatentsonline.com/6873997.html - 63k - [Cached](#) - [Similar pages](#)

[[More results from www.freepatentsonline.com](#)]

[Content Management, XML, and Information Technology News | Gilbane ...](#)

With POET eCS, each eCatalog is customized for the user, **destination**, and protocol. ... All the **business** elements will be added to the ISO 15022 **Data Field** ...

gilbane.com/content_management_news.pl/2000/5/content_management_news.html - 113k

- [Cached](#) - [Similar pages](#)

[Installation of **data-driven business** integration adapters - Patent ...](#)

"DCOM" means 'Distributed **Component Object Model**,' an extension of Microsoft's ... An example of disparate **source** and **destination** formats is, for example, ...

www.patentmonkey.com/PM/patentid/7188345.aspx - 265k - [Cached](#) - [Similar pages](#)

[GIS Monitor Apr 26, 2001](#)

The ActiveX **component** may be licensed separately, with pricing to be released ...

Autodesk offers GIS tools for surveying and **field data** capture, **image** and ...

www.gismonitor.com/news/newsletter/archive/042601.php - 23k - [Cached](#) - [Similar pages](#)

[IBM Globalization - Terminology](#)

A **map** either converts from an application-specific **business object** to a generic ...

Examples of **data source objects** include tables, views, synonyms, ...

<https://www-306.ibm.com/software/globalization/terminology/mn.html> - 281k -

[Cached](#) - [Similar pages](#)

[DataCore Technology, Inc. - Glossary of Terms](#)

Field. Computer-allocated space for **data** input. File Server ... out by filtering packets based on **source/destination** IP address, **source/destination** port. ...

www.data-core.com/glossary-of-terms.htm - 97k - [Cached](#) - [Similar pages](#)

[IBM Globalization - Terminology - terms M and N](#)